



## WOODline


### Parquet on raised floors

The floor has always been an essential part of a highly specified room. Whether in a conference room or in the modern office, parquet floors make you feel good. Lindner parquet floors are manufactured from solid wood to the highest quality standards and are particularly durable and comfortable to walk on. The combination of a range of woods, designs and finishes means that all ideas are possible.

#### Raised floor systems with WOODline

At our raised floor systems NORTEC and LIGNA, the edge trim is fitted to the top edge of the parquet, so that no moisture can penetrate into the parquet itself. The colour of the edge trim is supplied in the same colour as the parquet, making the joint between the panels and the edge trim itself barely visible.

- Parquet layers from our own production with the highest quality
- Board joints with moisture protection
- Certification according to FSC™ possible
- Combination possibilities with our panel parquet
- Combination possibilities with our industrial design planks
- Real wood layer
- Further types of wood and designs upon request



#### Examples for areas of application

**Public Areas:** Entrance Areas, Escape Routes

**Work:** Common Rooms, Facilities for Meetings, Conventions and Conferences, Stage and Studio Rooms, Office buildings, Broadcasting Rooms, Television Studios, Assembly Rooms

**Education:** Library, Research Rooms, Schools, Higher education institutions and universities

**Businesses, Recreation and Culture:** Shopping Centres, Sales Areas, Banks, Cinema and multiplex cinemas, Concert Halls, Theatres and Opera Houses, Museums and Exhibitions, Places of Assembly

**Healthcare:** Pharmacies (Production), Clinics and Hospitals

**Hotels and Gastronomy:** Gastronomy, Hotels and Resorts

**Public Institutions:** Courts and prisons, Government and municipal buildings

**Transport:** Train Stations, Airports

**Residential building**

### Technical details

#### Technical data

- **Thickness:** 4.0 mm
- **Length:** 600 mm
- **Width:** 600 mm
- **Building class:** C<sub>fl</sub>-s1
- **Emission class:** E1
- **Air Comfort Gold:** fulfilled
- **AgBB ABG:** fulfilled

#### Surface lacquered

- **Build-up:** 6-layer UV curing lacquer
- **Variants:** lackiert farblos
- **Gloss level:** matt



- **Slip resistance class:** R9
- **Durability:** Class 6
- **Types of wood:** oak, smoked oak, ash eco, bamboo light, steamed bamboo
- **Wood grading:** We use a wood grading with typical structure and play of colours, partly containing small sound knots.

#### Surface oiled

- **Build-up:** 2-times hard wax oiled
- **Gloss level:** matt
- **Slip resistance class:** R9
- **Types of wood:** oak, smoked oak, ash eco, bamboo light, steamed bamboo
- **Wood grading:** We use a wood grading with typical structure and play of colours, partly containing small sound knots.

#### Surface sanded

- **Surface:** Pre-sanded; contamination/marks caused by application to the carrier panel are possible and have to be accepted.
- **Utilisation:** Surface coating on construction site; cleaning sanding is essential.
- **Note:** Coating must be applied immediately after installation. No liability is accepted for damage caused by incorrect storage. The surface agents used must be approved by the manufacturer. Risk of edge bonding.
- **Types of wood:** oak, smoked oak, eco ash, light bamboo, steamed bamboo.
- **Wood grading:** we use wood grading with typical structure and colour variation, including some small, firmly attached knots.

## Variants

### Types of wood

Bamboo light, steamed bamboo, oak, smoked oak, ash. Other types of wood are available on request.

As with all natural products, wood differs in colour and structure. Screen colours cannot reproduce the colour of the parquet exactly, therefore small differences might occur.



### Designs



Large baton 4 (oak)



Large baton 6 (oak)



Large baton 8 (oak)





Large baton 9 (oak)



Industrial 3-10 (oak)



Industrial 3-14





Industrial 3-18 (oak)



Inustrial 3-18 (bamboo)



Industrial 4-10







Industrial 4-14 (Ash)



Industrial 4-18 (Ash)



Ships floor 9






2-strip (oak)



Cube 81



Mosaic 4 (oak)





Mosaic 9 (oak)



Mosaic 16 (oak)



Fineline (bamboo)







Wide lamella (bamboo)



Herringbone (oak)



## Finishes

### Advantages of varnished finishes:

- extremely hard surface
- highly wear resistant
- low maintenance
- resistant against bacteria and microorganisms

### Advantages of oiled finishes:

- low maintenance
- damage through use is easy to resolve
- ecologically friendly
- maintains natural surface structure