



GST 13

Glass sliding door element

Our sliding door GST 13 T0 consists of an all-glass door leaf made of laminated safety glass VSG made of TVG 12mm. The edge quality according to DIN EN 1249 part 11 is KPO and KGN polished and ground edges. The system is available as single leaf performance.

- appealing design

Examples for areas of application

Public Areas: Escape Routes, Entrance Areas

Work: Common Rooms, Facilities for Meetings, Conventions and Conferences, Office Buildings, Broadcasting Rooms, Television Studios, Assembly Rooms

Education: Libraries, Research Rooms, Schools, Universities and Higher Education Buildings

Businesses, Recreation and Culture: Sales Areas, Banks, Places of Assembly

Healthcare: Pharmacies (Production), Clinics and Hospitals, Laboratories and Research Facilities

Hotels and Gastronomy: Commercial Kitchens, Hotels and Resorts

Industry: Laboratories and Research Facilities



Technical details

Technical Details

Frame Variant	Aluminium frame Steel frame (one-piece)
Standard Equipment	Drive set in E6/C0 anodized, including cover caps and stoppers Circumferential sealing system in E6/C0 anodized and grey sealing profiles Threshold made of stainless steel Handle bars made of stainless steel
Additional Equipment	Running rail with retraction dampening Locking according to the demands and the customer requests
Load Capacity	max. 150 kg
Weight	30 kg/m ²

Dimensions

Dimensions

Door Leaf Thickness	13 mm
Door Leaf Width Single-Leaf	1,200 - 1,560 mm
Door Leaf Height	2,000 - 2,500 mm



Acoustics

Building acoustics

ISO 717-1	R_w	37 dB
-----------	-------	-------

Surfaces

Surfaces

Glass	Partition Surface LUMIXline - Glass
-------	-------------------------------------

Sustainability

Declarations

Product Self-Declaration	A self-declaration in accordance with ISO 14021 is available. This contains extensive environmental information for planning, tenders and building certifications (LEED, DGNB, EU taxonomy).
--------------------------	--

Combinable Systems

Combinable Systems

Partitions	<p>Lindner Life Contour 126 - Glass partition with front-mounted glazing</p> <p>Lindner Life Freeze 137 - Glass partition with flush-mounted bonded glazing</p> <p>Lindner Life Stereo 125 - Glass partition with front-mounted glazing</p> <p>Lindner Logic 100 Metal - Metal partition</p> <p>Lindner Logic 100 Metal-Acoustic - Metal partition with sound absorbing surface</p> <p>Lindner Logic 100 Timber - Timber partition</p> <p>Lindner Logic 100 Timber-Acoustic - Timber partition with sound absorbing surface</p> <p>Lindner Life Clear - Glass partition with double glazing</p> <p>Lindner Life Clear_N - Glass partition with double glazing with solid wood lining</p>
------------	--



Applications

